Index of Authors

with the titles of papers

ADYA, A. K., and WORMALD, C. J.: Excess intermolecular structure and pair correlation functions in liquid mixtures $0.5~CO_2 + 0.5~C_2D_4$ and $0.5~CO_2 + 0.5~C_2D_6$ by neutron diffraction, 1075

ALEXANDER, J. J., see HARRIS, K. R.

ALIOTTA, F., see MAISANO, G.

AMAHA, A.: F matrix connecting points on opposite sides of a parabolic potential well, 345 ATTARD, P., and MOULE, G. A.: A force-balance Monte Carlo simulation of the surface tension of a hard-sphere fluid, 943

BALASUBRAMANIAN, K.: Characterization of Hadamard matrices, 1309

BELLEMANS, A., see DEPAEPE, J. M.

BELTON, P. S., see HILLS, B. P.

BEN-AMOTZ, D., see DE SOUZA, L. E. S.

BERMEJO, F. J., see CHAHID, A.

BERNATH, P. F., see WALKER, K. A.

BOONE, T. D., see DODD, L. R.

BOTSCHWINA, P., HORN, M., SEEGER, S., and FLÜGGE, J.: Equilibrium geometry of HC₃N, 191

BOUBLIK, T., see MÜLLER, A.

BRAMLEY, M. J., see PINNAVAIA, N.

Branka, A., and Wojciechowski, K. W.: Monte Carlo simulations of hard cyclic pentamers in two dimensions. Translational-rotational coupling in the orientationally disordered phase, 1513

Brown, J. M., see Towle, J. P. Burnell, E. E., see Li, K. Y.

BURNELL, E. E., see ZIMMERMAN, D. S.

CACCAMO, C., and GIUNTA, G.: Microscopic theoretical description of phase stability in hard sphere Yukawa mixtures, 83

CADOT, J.: Short-range radial contributions and symmetry properties of the intermolecular potential, 1143

CAMINATI, W., FAVERO, L. B., VELINO, B., and ZERBETTO, F.: A study of the large amplitude motions of indoline through microwave spectroscopy and ab initio calculations. Evidence of ring puckering and butterfly motion coupling, 1561

Chahid, A., García-Hernández, M., Prieto, C., Bermejo, F. J., Enciso, E., and Martínez, J. L.: Inelastic neutron and light scattering studies on liquid sulphur dioxide, 821

CHANDLER, D., see KURTOVIĆ, Z.

Chialvo, A. A., and Cummings, P. T.: Unified expression for the calculation of thermal conductivity in the canonical ensemble, 791

CICCOTTI, G., see MELCHIONNA, S.

CLANCY, P., see HOLCOMB, C. D.
CLOUGH, S., HORSEWILL, A. J., JOHNSON, M. R., and TOMSAH, I. B. I.: Resonant broadening of NMR line shapes of tunnelling methyl groups at level anticrossings, 781

COREY, G. C., see WONG, C. C. K.

CORNELL, B., see SEPAROVIC, F.

CRAW, J. S., see DE ALMEIDA, W. B.

CREASEY, J. C., HATHERLY, P. A., JONES, H. M., LAMBERT, I. R., and TUCKETT, R. P.: Vacuum UV fluorescence excitation spectroscopy of BF₃ in the range 45–125 nm. Observation of new electronic transitions in the BF₂ free radical, 837

CUMMINGS, P. T., see CHIALVO, A. A. CUSHMAN, J. H., see Schoen, M.

DA SILVA, A. B. F., and TRSIC, M.: Universal Gaussian and Slater-type bases for atoms H to Xe based on the generator coordinate Hartree-Fock method. II. Application of the Gaussian basis to neutral and charged diatomic molecules, 1301

DAY, P., DELFS, C. D., FIGGIS, B. N., REYNOLDS, P. A., and TASSET, F.: Polarized neutron diffraction from Cs₂KFe(CN)₆. The orbital moment and its anisotropy, 769

DE ALMEIDA, W. B., and CRAW, J. S.: The molecular structure of the benzene-CIF complex, 1351

DE SOUZA, L. E. S., and BEN-AMOTZ, D.: Optimized perturbed hard sphere expressions for the structure and thermodynamics of Lennard-Jones fluids, 137

DEBENHAM, P. M., see McDonald, P. J.

Degen, J., Diehl, M., and Schmidtke, H.-H.: Time-resolved luminescence of octahedral selenium (IV). Complexes using different excitation pulse widths, 103

DELFS, C. D., see DAY, P.

DEPAEPE, J. M., RYCKAERT, J. P., and Bellemans, A.: Kinetics of the geometric isomerization of cyclohexene in a stochastic bath, 1575

DICKINSON, A. S., and LIU, W.-K.: Use of the classical centrifugal-sudden approximation for transport and relaxation cross-sections, 475

DIEHL, M., see DEGEN, J.

DIEHL, P., see JOKISARRI, J.

DIESTLER, D. J., see Schoen, M.

DODD, L. R., BOONE, T. D., and THEODOROU, D. N.: A concerted rotation algorithm for atomistic Monte Carlo simulation of polymer melts and glasses, 961

Dolg, M., see HAUSSERMANN, U.

DROBNY, G. P., see LISTERUD, J.

DYMOND, J. H., see HARRIS, K. R.

EKERN, S. P., ILLIES, A. J., and McKee, M. L.: Theoretical study of the proton affinity of N₂O, 263

ENCISO, E., see CHAHID, A.

ERNST, R. R., see SUTER, D.

ERNST, M., see SUTER, D.

EVANS, R., see PARRY, A. O.

FANG, J.-Y., JOHNSTON, R. L., and MURRELL, J. N.: Potential energy functions for atomic solids. V. Application to alkali metal solids, 1405

FAVERO, L. B., see CAMINATI, W.

FENRYCH, J., REYNHARDT, E. C., JURGA, S., and JURGA, K.: Molecular motions and phase changes in the perovskite-type compound $(C_{10}H_{21}NH_3)_2ZnCl_4$, 1117

FIGGIS, B. N., see DAY, P.

FISCHER, J., see MÜLLER, A.

FISCHER, M. R. see HOFF, A. J.

FLAMMING, R., see NGUYEN, M. T.

FLÜGGE, J., see BOTSCHWINA, P.

FRASER, G. T., see KARAYAKIN, E. N.

GARCIA-CUESTA, I., SÁNCHEZ DE MERÁS, A., and NEBOT-GIL, I.: Theoretical study of acetylene and ethylene—palladium complexes, 1449

GARCÍA-HERNÁNDEZ, M., see CHAHID, A.

GARZÓ, V.: Kinetic model for transport around uniform shear flow, 1129

GIANOTTI, R. D., WANG, J., McLAUGHLIN, I. L., and SILBERT, M.: Comments on the analytical solutions of the sticky hard rod model, 1293

GIANTURCO, F. A., SANNA, N., and SERNA, S.: Dynamic decoupling in the calculations of transport coefficients. II. Quantum and classical results for Ne-N₂ and Ar-N₂ mixtures, 1015

GIUNTA, G., see CACCAMO, C.

GLASER, S. J., see LISTERUD, J.

GOSCINSKA, T., see HARRIS, K. R.

GREEN, W. H., see PINNAVAIA, N.

Gregory, V. P., and Schug, J. C.: Clustering of Lennard-Jones particles below the critical temperature, 407

GRIMSON, M. J.: Fracture of model gel networks under applied strain, 7

GUBBINS, K. E., see JOHNSON, J. K.

GURSKII, Z., HANNONGBUA, S., and HEINZINGER, K.: On the structure of concentrated lithiumliquid ammonia solutions. A molecular dynamics study, 461

HAMMONDS, K. D., McDonald, I. R., and TILDESLEY, D. J.: Computational studies of the structure of monolayers of chlorine physisorbed on the basal plane of graphite, 173

HANDY, N. C., see MURRAY, C. W. HANDY, N. C., see PINNAVAIA, N.

HANNONGBUA, S., see GURSKII, Z.

HANSON, E. E., WONG, C. C. K., and McCourt, F. R. W.: On the sensitivity of thermal diffusion to the anisotropy of intermolecular interaction potentials, 199

HARPER, P. G. and PFAB, J.: Fragmentation dynamics of the photo-dissociated triatomic molecule, 1337

HARRIS, K. R., ALEXANDER, J. J., GOSCINSKA, T., MALHOTRA, R., WOOLF, L. A., and DYMOND, J. H.: Temperature and density dependence of the selfdiffusion coefficients of liquid n-octane and toluene, 235

HATHERLY, P. A., see CREASEY, J. C.

HÄUSSERMANN, U., DOLG, M., STOLL, H., PREUSS, H., SCHWERDTFEGER, P., and PITZER, R. M.:
Accuracy of energy-adjusted quasirelativistic ab initio pseudopotentials. All-electron and pseudopotential benchmark calculations for Hg, HgH and their cations, 1211

HEDDERICH, H. G., see WALKER, K. A.

HEINZINGER, K., see GURSKII, Z.

Hemmerling, B., and Vervloet, M.: Analysis of the electronic emission $\tilde{A}^2\Sigma^+ - \tilde{X}^2\Pi_i$ of NCO by Fourier transform spectroscopy, 1423

HENDRIKS, E. M., see VAN LEEUWEN, M. E.

HESS, S., see OSIPOV, M. A.

Heyes, D. M., Powles, J. G., and Montero, J. C. G.: Information theory applied to the transport coefficients of Lennard-Jones fluids II, 229

HILLS, B. P., BELTON, P. S., and QUANTIN, V. M.: Water proton relaxation in heterogeneous systems. I. Saturated randomly packed suspensions of impenetrable particles, 893

HOFF, A. J., and FISCHER, M. R.: Excitation migration and trapping in homogeneous and heterogeneous lattices. Application to the light-harvesting antenna complex of photosynthetic bacteria, 799

Нонм, U.: Experimental determination of the dispersion in the mean linear dipole polarizability $\alpha(\omega)$ of small hydrocarbons and evaluation of Cauchy moments between 325 nm and 633 nm, 929

HOLCOMB, C. D., CLANCY, P., and ZOLLWEG, J. A.: A critical study of the simulation of the liquid-vapour interface of a Lennard-Jones fluid, 437

HOLIAN, B. L., see MELCHIONNA, S.

HORN, M., see BOTSCHWINA, P. HORSEWILL, A. J., see CLOUGH, S.

HORSEWILL, A. J., see McDonald, P. J.

HOWARD, B. J., and McKellar, A. R. W.: The ν_1 band of (NO)₂, 55

IACHELLO, F., Oss, S., and Viola, L.: Rotation-vibration interaction and Fermi resonances of HCCF in the vibron model, 561

IACHELLO, F., Oss, S., and Viola, L.: Vibrational analysis of monofluoroacetylene (HCCF) in the vibron model, 545

ILLIES, A. J., see EKERN, S. P.

INGMAN, P., see JOKISAARI, J.

JAEGERMANN, P., PLATO, M., Von Maltzan, B., and Möbius, K.: Time-resolved EPR study of exciton hopping in porphyrin dimers in their photoexcited triplet state, 1057

JECH, P., see Pospišil, R.

JOHNSON, J. K., ZOLLWEG, J. A., and GUBBINS, K. E.: The Lennard-Jones equation of state revisited, 591

JOHNSON, M. R., see CLOUGH, S.

Johnston, R. L., see Fang, J.-Y.

Jokisaari, J., Ingman, P., Lounila, J., Pulkkinen, O., Diehl, P., and Muenster, O.: Electric field gradients experienced by the noble gas isotopes ²¹Ne, ⁸³Kr and ¹³¹Xe in thermotropic liquid crystals, 41

JONES, H. M., see CREASEY, J. C.

JURGA, S., see FENRYCH, J.

JURGA, K., see FENRYCH, J.

KAIZU, Y., see KOBAYASHI, H.

KALYUZHNYI, Yu. V., and STELL, G.: On the effects of association in fluids with spherically symmetric interactions. I. Cluster expansions and integral equations, 1247

KARYAKIN, E. N., FRASER, G. T., and SUENRAM, R. D.: Microwave spectrum of the $K_a = 1 \leftarrow 0$ rotation-tunnelling band of $(D_2O)_2$, 1179

KNORR, K., see SHIRAZI, A. R. B.

KOBAYASHI, H., KAIZU, Y., MATSUZAWA, H., SEKINO, H., and TORII, Y.: Electronic transfer between ligands in the tris(2,2'-bipyridine) complexes consisting of monoanion radicals. Delocalization versus localization, 909

KOFKE, D. A.: Gibbs-Duhem integration: a new method for direct evaluation of phase coexistence by molecular simulation, 1331

Komasa, J., and Thakkar, A. J.: Accurate multipole moments for H₂ and D₂ including the effects of electron correlation and molecular vibration and rotation, 1039

Krishnan, M. S., Temme, F. P., and Sanctuary, B. C.: Theory of pulses in nuclear quadrupole resonance spectroscopy. I. Physical picture, 1385

KRYSZEWSKI, S.: On the van der Waals interaction between an atom and a dielectric medium, 1225
KURTOVIĆ, Z., MARCHI, M., and CHANDLER, D.: Umbrella sampling molecular dynamics study of the dielectric constant of water, 1155

LAKHLIFI, A.: Analysis of the interaction potential of a molecule physisorbed on NaCl(100) surface, 659

LAMBERT, I. R., see CREASEY, J. C.

LAMING, G. J., see MURRAY, C. W.

LARSSON, T. P., see WESTLUND, P.-O.

LAUNILA, O., ROYEN, P., and ZACKRISSON, M.: Rotational analysis of the $D^2\Sigma^+-X^2\Sigma^+$ and $E^2\Sigma^+-X^2\Sigma^+$ band systems of BaCl, 763

LE SUEUR, C. R., and STONE, A. J.: Practical schemes for distributed polarizabilities, 1267

LEVESQUE, D., see ZARRAGOICOECHEA, G. J.

LEVINE, Y. K.: Monte Carlo dynamics study of cis and trans unsaturated hydrocarbon chains, 619

LI, K. Y., ZIMMERMAN, D. S., and BURNELL, E. E.: Orientational order of planar solutes in a zero average electric field gradient nematic environment, 673

LISTERUD, J., GLASER, S. J., and DROBNY, G. P.: Symmetry and isotropic coherence transfer. II.

Multi spin calculations using a Young tableaux formulation, 629

LIU, W.-K., see DICKINSON, A. S.

LOUNILA, J., see JOKISAARI, J.

MAGAZU, S., see MAISANO, G.

Maisano, G., Majolino, D., Migiardo, P., Venuto, S., Aliotta, F., and Magazu, S.: Sound velocity and hydration phenomena in aqueous polymeric solutions, 421

MAJOLINO, D., see MAISANO, G.

MALHOTRA, R., see HARRIS, K. R.

MALIJEVSKÝ, A., see Pospíšil, R.

MAN, P. P.: Analytical expression for the spin-5/2 line intensities, 307

- MARCHI, M., see KURTOVIĆ, Z.
- MARTINEZ, J. L., see CHAHID, A.
- MATSUZAWA, H., see KOBAYASHI, H.
- McCourt, F. R. W., see Hanson, E. E.
- McCourt, F. R. W., see Wong, C. C. K.
- McDonald, I. R., see Hammonds, K. D.
- McDonald, P. J., Vijayaraghavan, D., Debenham, P. M., and Horsewill, A. J.: Pressure dependence of methyl tunnelling in solid diacetyl. An extension to the methyl thermometer model, 219
- McKee, M. L., see Ekern, S. P.
- McKellar, A. R. W., see Howard, B. J.
- McLaughlin, I. L., see Gianotti, R. D.
- MELCHIONNA, S., CICCOTTI, G., and HOLIAN, B. L.: Hoover NPT dynamics for systems varying in shape and size, 533
- MIGLIARDO, P., see MAISANO, G.
- MÖBIUS, K., see JAEGERMANN, P.
- Моневві, А., and Shaka, A. J.: J-compensated homonuclear cross polarization in NMR spectroscopy, 29
- MONTERO, J. C. G., see Powles, J. G.
- MORISHIGE, K.: The structure of a monolayer film of carbon dioxide adsorbed on graphite, 1203
- Moss, R. E.: Calculations for vibration-rotation levels of HD⁺, in particular for high N, 371
- Moule, G. A., see ATTARD, P.
- MUENSTER, O., see JOKISARRI, J.
- MÜLLER, A., WINKELMANN, J., BOUBLÍK, T., and FISCHER, J.: Mixtures of dipolar with nonpolar linear molecules. Results from simulations and theory, 121
- MURRAY, C. W., HANDY, N. C., and LAMING, G. J.: Quadrature schemes for integrals of density functional theory, 997
- MURRELL, J., see FANG, J.-Y.
- NEBOT-GIL, I., see GARCIA-CUESTA, I.
- NGUYEN, M. T., VANQUICKENBORNE, L. G., PLISNIER, M., and FLAMMANG, R.: A mass spectrometric and *ab initio* molecular orbital characterization of thionitrosyl hydride (H-N=S), 111
- ODELIUS, M., see RIBBING, C.
- Osipov, M. A., and Hess, S.: The elastic constants of nematic and nematic discotic liquid crystals with perfect local orientational order, 1191
- Oss, S., see IACHELLO, F.
- Oss, S., see IACHELLO, F.
- PARRY, A. O., and Evans, R.: Fluctuations, correlation functions and interfacial Hamiltonians for the complete wetting phase transition, 1527
- PAX, R., see SEPAROVIC, F.
- Peric, M., and Peyerimhoff, S. D.: Ab initio CI investigation of the electronic spectrum of BF₂. I. Calculation of the potential surfaces and the transition moments for the valence and Rydberg doublet electronic states, 855
- Peric, M., and Peyerimhoff, S. D.: Ab initio CI investigation of the electronic spectrum of BF₂. II. Interpretation and prediction of features of the 1²A₁, -1²B₁, 2²A₁ absorption and emission system, 877
- PEYERIMHOFF, S. D., see PERIĆ, M.
- PEYERIMHOFF, S. D., see PERIĆ, M.
- PFAB, J., see HARPER, P. G.
- PINNAVAIA, N., BRAMLEY, M. J., Su, M.-D., GREEN, W. H., and HANDY, N. C.: A study of the ground electronic state of the isomers of CHNO, 319
- PITZER, R. M., see HÄUSSERMANN, U.
- PLATO, M., see JAEGERMANN, P.
- PLISNIER, M., see NGUYEN, M. T.

POGODA, M., see POWLES, J. G.

Pospišil, R., Malijevský, A., Jech, P., and Smith, W. R.: Integral equation and computer simulation studies of hard spheres in a slit pore, 1461
Powles, J. G., and Pogoda, M.: A flexible model for the simulation of fluids in infinite porous

systems, 757

Powles, J. G., see HEYES, D. M.

PREUSS, H., see Häussermann, U.

PRIETO, C., see CHAHID, A.

PULKKINEN, O., see JOKISARRI, J.

QUANTIN, V. M., see HILLS, B. P.

REYNHARDT, E. C., see FENRYCH, J.

REYNOLDS, P. A., see DAY, P.

RIBBING, C., and ODELIUS, M.: Normal coordinate analysis of the zero-field splitting in octahedral NiF₆⁶. I. Ab initio calculations, 1259

RIGBY, M.: Virial coefficients of hard convex molecules in two dimensions, 21

ROYEN, P., see LAUNILA, O.

Rubahn, H.-G., and Sathyamurthy, N.: Quasiclassical trajectory study of Li₂ (ν < 25, j < 100)-Na exchange reaction, 1047

RYCKAERT, J. P., see DEPAEPE, J. M.

SANCHEZ DE MERAS, A., see GARCIA-CUESTA, I.

SANCTUARY, B. C., see KRISHNAN, M. S.

SANNA, N., see GIANTURCO, F. A.

SANTIKARY, P., see YASHONATH, S.

SATHYAMURTHY, N., see RUBAHN, H.-G.

SCHMIDTKE, H.-H., see DEGEN, J.

SCHOEN, M., DIESTLER, D. J., and CUSHMAN, J. H.: Isostress-isostrain ensemble Monte Carlo simulation of second order phase transitions in a confined monolayer fluid, 1097

SCHUG, J. C., see GREGORY, V. P.

SCHWERDTFEGER, P., see HAUSSERMANN, U.

SEEGER, S., see BOTSCHWINA, P.

SEKINO, H., see KOBAYASHI, H.

Separovic, F., Pax, R., and Cornell, B.: NMR order parameter analysis of a peptide plane aligned in a lyotropic liquid crystal, 357

SERNA, S., see GIANTURCO, F. A.

Sesé, L. M.: Feynman-Hibbs quantum effective potentials for Monte Carlo simulations of liquid neon, 1167

SHAKA, A. J., see MOHEBBI, A.

SHARMA, S. R.: Molecular association and the anisotropic-nematic transition, 733

SHIRAZI, A. R. B., and KNORR, K.: Monolayers of C₂F₆ on graphite, 73

SILBERT, M., see GIANOTTI, R. D.

SMIT, B., see VAN LEEUWEN, M. E.

SMITH, W. R., see Pospišil, R.

STARIKOV, E. B.: On the convergence of the Hartree-Fock selfconsistency procedure, 285

STELL, G., see KALYUZHNYI, YU, V.

STOLL, H., see HAUSSERMANN, U.

STONE, A. J., see LE SUEUR, C. R.

Su, M.-D., see PINNAVAIA, N.

SUENRAM, R. D., see KARYAKIN, E. N.

SUTER, D., ERNST, M., and ERNST, R. R.: Quantum time-translation machine. An experimental realization, 95

TASSET, F., see DAY, P.

TEFFO, J. L.: Born—Oppenheimer effects and vibration—rotational spectra of linear molecules.
I. Theory, 1493

TELEMAN, O., see WESTLUND, P.-O.

TEMME, F. P., see KRISHNAN, M. S.

TEMME, F. P.: Structure of higher unitary dualities revisited. A model 'Met-¹³Carb' NMR spin cluster problem, 747

THAKKAR, A. J., see Komasa, J.

THEODOROU, D. N., see DODD, L. R.

TILDESLEY, D. J., see HAMMONDS, K. D.

TOMSAH, I. B. I., see CLOUGH, S.

TORII, Y., see KOBAYASHI, H.

TOWLE, J. P., and Brown, J. M.: The infrared spectrum of the GeH radical, 249

TRSIC, M., see DA SILVA, A. B. F.

TUCKETT, R. P., see CREASEY, J. C.

Van Leeuwen, M. E., Smit, B., and Hendriks, E. M.: Vapour-liquid equilibria of Stockmayer fluids. Computer simulations and perturbation theory, 271

VANQUICKENBORNE, L. G., see NGUYEN, M. T.

VEGA, S., see ZABOROWSKI, E.

VELINO, B., see CAMINATI, W.

VENUTO, S., see MAISANO, G.

VERVLOET, M., see HEMMERLING, B.

VIJAYARAGHAVAN, D., see McDonald, P. J.

VIOLA, L., see IACHELLO, F.

VIOLA, L., see IACHELLO, F.

VON MALTZAN, B., see JAEGERMANN, P.

WALES, D. J.: Coexistence in small inert gas clusters, 151

WALKER, K. A., HEDDERICH, H. G., and BERNATH, P. F.: High resolution vibration-rotation emission spectroscopy of BaH, 577

WANG, J., see GIANOTTI, R. D.

Weis, J. J., see Zarragoicoechea, G. J.

WESTLUND, P.-O., LARSSON, T. P., and TELEMAN, O.: Paramagnetic enhanced proton spinlattice relaxation in the Ni²⁺ hexa-aquo complex. A theoretical and molecular dynamics simulation study of the Bloembergen-Morgan decomposition approach, 1365

WINKELMANN, J., see MÜLLER, A.

WOJCIECHOWSKI, K. W., see BRANKA, A.

Wong, C. C. K., McCourt, F. R. W., and Corey, G. C.: Classical trajectory calculation of transport and relaxation properties of O₂-He, Ne mixtures, 499

Wong, C. C. K., see Hanson, E. E.

Woolf, L. A., see Harris, K. R. Wormald, C., see Adya, A. K.

YASHONATH, S., and SANTIKARY, P.: Influence of non-geometrical factors on intracrystalline diffusion. Role of sorbate-zeolite interactions, 1

ZABOROWSKI, E., and VEGA, S.: A study of Dianin's inclusion compound. NMR and energy calculations, 703

ZACKRISSON, M., see LAUNILA, O.

ZARRAGOICOECHEA, G. J., LEVESQUE, D., and Weis, J. J.: Monte Carlo simulations of polar discotic molecules, 1475

ZERBETTO, F., see CAMINATI, W.

ZIMMERMAN, D. S., and BURNELL, E. E.: Anisotropic short range potentials for solutes in nematic liquid crystals, 687

ZIMMERMAN, D. S., see LI, K. Y.

ZOLLWEG, J. A., see HOLCOMB, C. D.

ZOLLWEG, J. A., see JOHNSON, J. K.